Supplemental Support Chart For Amended Claims of Application 08/470,571

Claim	Exemplary Citations to 1981	Exemplary Citations to 1987
(Tab A)	Specification	Specification
57	col. 18, ll. 47-48; col. 19, l. 35 col. 20, l. 7	p. 449, ll. 13-33; p. 451, ll. 1-3
58	col. 19, ll. 42-44; col. 19, l. 60 col.	p. 24, ll. 14-21; p. 25, l. 34 p. 26, l.
	20, 1. 2	8; p. 21, ll. 20-24
60	col. 19, Il. 20-21; col. 19, l. 14-15; col.	p. 435, l. 23 - p. 436, l. 1; p. 252, ll. 15-
	19, ll. 63-67	35; p. 25, l. 34 p. 26, l. 8
61	television program: col. 19, ll. 14-15,	television program: p. 435, l. 23 p.
	20-21;	436, l. 1;
	a communications resource: col. 19, ll.	a communications resource: p.252, ll.
	14-15;	15-35;
	locally generated image: col. 19, ll.	locally generated image: p. 25, l. 34 -
	63-67	p. 26, l. 8
62	see support for claim 61	see support for claim 61
63	col. 19, l. 30-39; Fig. 6C	p. 449, ll. 13-35, in light of p. 420, ll.
		3-31; Fig. 7C
65	col. 7, Il. 36-39; col. 19, Il. 63-67	p. 25, l. 34 - p. 26, l. 8; p. 30, ll. 7-9;
		p. 69, ll. 10-12; p. 74, ll. 10-13
66	col. 8, Il. 35-39; Fig. 1	p. 33, l. 18-24; Fig. 2
67	to present locally generated image:	to present locally generated image:
	col. 19, ll. 48-53; col. 19, ll. 23-26; col.	p. 446, Il. 14-23; p. 26, Il. 4-11; Fig.
	1, ll. 62-66; Fig. 6C	7C
	to present image received from said	to present image received from said
	remote video source: col. 19, ll. 23-26;	remote video source: p. 446, ll. 14-23;
	col. 1, ll. 62-66; Fig. 6C	p. 26, ll. 4-11; Fig. 7C
68	see support for claim 67	see support for claim 67
69	col. 18, ll. 46-49; col. 19, ll. 35-40	p. 449, ll. 13-20
70	col. 19, ll. 42-49; col. 19, l. 64 - col.	p. 24, ll. 16-27; p. 53, l. 33 - p. 54, l. 2;
	20, 1. 2	p. 60, l. 32 - p. 61, l. 1; p. 62, ll. 26-28;
		p. 104, l. 35 p. 105, l. 8 (the "EOFS"
		signal); Fig. 2I, in light of p. 65, l. 34 -
		p. 66, l. 5
71	col. 19, Il. 42-44	p. 69. ll. 10-12
· 72	col. 19, Il. 22-23	p. 20, ll. 21-26
73	col. 14, Il. 2-3; col. 13, Il. 20-24	p. 288, Il. 30-35; p. 289, Il. 12-20; p. 299, Il. 22-25
74	col. 19, ll. 23-26; col. 1, ll. 62-66; Fig. 6C	p. 446, ll. 14-23; p. 26, ll. 4-11; Fig. 7C
81	col. 12, Il. 29-35	p. 330, ll. 14-35

Supplemental Support Chart For Amended Claims of Application 08/470,571

Claim Exemplary Citations to 1981 Exemplary Citations to 1987			
(Tab A)	Specification Specification	Specification	
84	Claim 84 is a transmitter method that	Specification	
01	corresponds to the receiver method of		
	claim 93. The support for the effect of		
	the first and second discrete signal at		
	the receiver station is equivalent to the		
	support provided with respect to claim		
	93. transmitter station - col. 10, ll. 24 - 52	transmitter station - p. 324, l. 7 - p. 325, l. 9	
	receiving, delivering, and transmitting	receiving, delivering, and transmitting	
	video - col. 19, ll. 5-9	video - p. 20, l. 21 - p. 21, l. 4	
	receiving, transferring, and	receiving, transferring, and	
	transmitting discrete signals - col. 7, ll.	transmitting discrete signals - p. 21, l.	
	36-39; col. 19, ll. 45 - 48; col. 19, ll. 60 - 63	35 - p. 22, l. 8; p. 25, l. 34 - p. 26, l. 4; p. 30, ll. 7-9	
85	identification data - col. 19, ll. 14-15;	identification data - p. 435, l. 35 - p.	
65	discrete signals - col. 2, l. 64 - col. 3, l.	436, l. 1;	
	12; col. 7, ll. 34-39; col. 19, ll. 60-63	discrete signals - p. 14, l. 25 - p. 15, l.	
	12, col. 7, 11. 34-37, col. 17, 11. 00 03	6, p. 25, l. 34 - p. 26 l. 8; p. 30, ll. 7-9	
87	col. 14, Il. 2-3; col. 13, Il. 20-24.	p. 288, ll. 30-35; p. 289, ll. 12-20; p.	
	601. 14, 11. 2 3, 601. 13, 11. 20 24.	299, II. 22-25	
89	col. 19, l. 67 col. 20, l. 2	p. 25, l. 28 - p. 26, l. 11	
90	see support for claim 89	see support for claim 89	
91	col. 6, ll. 61-64; col. 19, l. 59 - col. 20,	p. 20, ll. 16-18; p. 25, l. 28 - p. 26, l.	
	1. 7; Fig. 6C	11; p. 27, ll. 1-7	
94	col. 19, Il. 12-29	p. 450, ll. 7-26 and, by reference	
		therein, p. 445, l. 24 - p. 446, l. 21	
95	receiver - col. 19, l. 28;	receiver - p. 450, ll. 23-24; p. 446, ll.	
	switch - col. 19, ll. 27-28;	17-21;	
	decryptor - col. 8, ll. 39-40;	switch - p. 450, ll. 21-22;	
	storage device - col. 19, ll. 26-27;	decryptor - p. 450, l. 22;	
	computer - col. 19, ll. 27-29	storage device - p. 445, ll. 27-32; p.	
		446, Il. 22-23;	
		computer - p. 445, ll. 29-31	
98	col. 2, l. 64 - col. 3, l. 12; col. 7, ll. 34-	p. 14, l. 25 - p. 15, l. 6; p. 30, ll. 7-9; p.	
100	39; col. 19, 11. 20-29	450, Il. 7-26	
100	col. 19, II. 35-41	p. 449, Il. 13-20	
102	col. 19, II. 37-39	p. 449, ll. 26-35	
103	col. 19, II. 23-29	p. 450, Il. 7-26	
106	col. 19, l. 60 - col. 20, l. 2	p. 25, l. 33 - p. 26, l. 11	
107	col. 19, Il. 28-29; col. 19, Il. 14-15	p. 289, ll. 12-15	
108	col. 6, Il. 45-48	p. 302, II. 4-5	

Supplemental Support Chart For Amended Claims of Application 08/470,571

Claim	Exemplary Citations to 1981	Exemplary Citations to 1987
(Tab A)	Specification	Specification
109	col. 19, l. 35 - col. l. 20. l. 2	p. 25, l. 23 - p. 26, l. 11; p. 449, ll. 13-
	,	20; p. 24, l. 22 –p. 25, l. 8
183	col. 2, l. 64 - col. 3, l. 12; col. 7, ll. 34-	p. 14, l. 25 - p. 15, l. 6; p. 30, ll. 7-9; p.
	39; col. 11, ll. 38-43.	328, Il. 2-13.
184	col. 19, Il. 45 - 49	p. 24, l. 22 - p. 25, l. 8
185	col. 19, Il. 64-67	p. 25, l. 34 - p. 26, l. 8
186	col. 19, Il. 45 – 49; see also support	p. 24, l. 22 - p. 25, l. 8; see also
	for claim 84	support for claim 84
187	Claim 187 differs from claim 93 in that	
	in claim 187 the step of outputting the	
	video presentation is based on the	
	organized signal as opposed to, in	
	claim 93, the step of generating an	
	image. The support for claim 187 is	
	equivalent to the support provide for	
	claim 93 with the difference that the	
	discrete signals are organized to	
	provide the instruction to output the	
	coordinated display.	
188	col. 19, II. 12-29	p. 450, II. 7-26 and, by reference
		therein, p. 445, l. 24 - p. 446, l. 21
189	receiver - col. 19, l. 28;	receiver - p. 450, ll. 23-24; p. 446, ll.
		17-21;
	switch - col. 19, Il. 27-28;	switch - p. 450, ll. 21-22;
	decryptor - col. 8, ll. 39-40;	decryptor - p. 450, l. 22;
	storage device - col. 19, ll. 26-27;	storage device - p. 445, ll. 27-32; p.
		446, Il. 22-23;
100	computer - col. 19, ll. 27-29	computer - p. 445, ll. 29-31
190	col. 2, I. 64 - col. 3, I. 12; col. 7, Il. 34-	p. 14, l. 25 - p. 15, l. 6; p. 30, ll. 7-9; p.
101	39; col. 19, 11. 20-29	450, Il. 7-26
191	col. 19, Il. 35-41	p. 449, Il. 13-20
192	col. 19, II. 37-39	p. 449, Il. 26-35
193	col. 19, Il. 23-29	p. 450, II. 7-26
194	col. 19, II. 45-49	p. 24, l. 16 - p. 25, l. 6
195	col. 19, Il. 28-29; col. 19, Il. 14-15	p. 289, II. 12-15
196	col. 6, II. 45-48	p. 302, ll. 4-5
197	col. 19, l. 35 - col. l. 20. l. 2	p. 25, l. 23 - p. 26, l. 11; p. 449, ll. 13-
		20; p. 24, l. 22 –p. 25, l. 8